

# APOC RTA-1 24oz Strawfoam APOC

Version No: 1.1.12.10

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: 09/09/2021 Print Date: 09/09/2021 S.GHS.USA.EN

#### **SECTION 1 Identification**

#### **Product Identifier**

Product name	APOC RTA-1 24oz Strawfoam	
Synonyms	Not Available	
Proper shipping name	per shipping name	
Other means of identification	Not Available	

#### Recommended use of the chemical and restrictions on use

Relevant identified uses One Component Polyurethane Foam Adhesive

#### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	APOC	
Address	161 EAST 7TH AVENUE TAMPA Florida 33605 United States	
Telephone	+1 813 248 2101	
Fax	Not Available	
Website	www.apoc.com	
Email	jhill@gardnerasphalt.com	

# Emergency phone number

• , ,	
Association / Organisation	Chemtrec
Emergency telephone numbers	+1 800 424 9300
Other emergency telephone numbers	Not Available

# SECTION 2 Hazard(s) identification

# Classification of the substance or mixture



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Serious Eye Damage/Eye Irritation Category 2A, Sensitisation (Respiratory) Category 1, Specific Target Organ Toxicity - Repeated Exposure Category 2, Acute Toxicity (Inhalation) Category 4, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Skin Corrosion/Irritation Category 2, Gases Under Pressure (Compressed Gas), Sensitisation (Skin) Category 1

# Label elements

Hazard pictogram(s)







Signal word

Danger

# Hazard statement(s)

nuzuru otatomoni(o)	
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Version No: 1.1.12.10 Page 2 of 14 Issue Date: 09/09/2021

# APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

H373	May cause damage to organs through prolonged or repeated exposure. (Respiratory system) (Inhalation)
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H315	Causes skin irritation.
H280	Contains gas under pressure; may explode if heated.
H317	May cause an allergic skin reaction.

# Hazard(s) not otherwise classified

Not Applicable

# Precautionary statement(s) Prevention

,	
P260	Do not breathe gas.
P271	Use only outdoors or in a well-ventilated area.
P284	[In case of inadequate ventilation] wear respiratory protection.

# Precautionary statement(s) Response

P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.

# Precautionary statement(s) Storage

P405	Store locked up.	
P410+P403	Protect from sunlight. Store in a well-ventilated place.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	

# Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

# Substances

See section below for composition of Mixtures

# Mixtures

CAS No	%[weight]	Name
25322-69-4	22.95	polypropylene glycol
13674-84-5*	10.59	tris(2-chloroisopropyl)phosphate
6425-39-4	0.7	2.2'-dimorpholinodiethyl ether
29118-24-9	17	1,3,3,3-tetrafluoropropene
101-68-8	23.85	4.4'-diphenylmethane diisocyanate (MDI)
9016-87-9	23.85	MDI oligomer

# **SECTION 4 First-aid measures**

# Description of first aid measures

Eye Contact	If aerosols come in contact with the eyes:  Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If solids or aerosol mists are deposited upon the skin:  Flush skin and hair with running water (and soap if available).  Remove any adhering solids with industrial skin cleansing cream.  DO NOT use solvents.  Seek medical attention in the event of irritation.
Inhalation	Following uptake by inhalation, move person to an area free from risk of further exposure. Oxygen or artificial respiration should be administered as needed. Asthmatic-type symptoms may develop and may be immediate or delayed up to several hours. Treatment is essentially symptomatic. A physician should be consulted.  If aerosols, fumes or combustion products are inhaled:  Premove to fresh air.  Lay patient down. Keep warm and rested.  Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.  If breathing is shallow or has stopped, ensure clear airway and apply resuscitation, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

► Transport to hospital, or doctor.

#### APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

Ingestion

Not considered a normal route of entry.

- Avoid giving milk or oils
- Avoid giving alcohol.

#### Most important symptoms and effects, both acute and delayed

See Section 11

#### Indication of any immediate medical attention and special treatment needed

for intoxication due to Freons/ Halons:

- A: Emergency and Supportive Measures
- Maintain an open airway and assist ventilation if necessary
- Treat coma and arrhythmias if they occur. Avoid (adrenaline) epinephrine or other sympathomimetic amines that may precipitate ventricular arrhythmias. Tachyarrhythmias caused by increased myocardial sensitisation may be treated with propranolol, 1-2 mg IV or esmolol 25-100 microgm/kg/min IV.
- Monitor the ECG for 4-6 hours
- B: Specific drugs and antidotes:
- There is no specific antidote

C: Decontamination

- Inhalation; remove victim from exposure, and give supplemental oxygen if available.
- Ingestion; (a) Prehospital: Administer activated charcoal, if available. DO NOT induce vomiting because of rapid absorption and the risk of abrupt onset CNS depression. (b) Hospital: Administer activated charcoal, although the efficacy of charcoal is unknown. Perform gastric lavage only if the ingestion was very large and recent (less than 30 minutes)

D: Enhanced elimination:

There is no documented efficacy for digresis, haemodialysis, haemoperfusion, or repeat-dose charcoal.

POISONING and DRUG OVERDOSE, Californian Poison Control System Ed. Kent R Olson; 3rd Edition

- Do not administer sympathomimetic drugs unless absolutely necessary as material may increase myocardial irritability.
- No specific antidote.
- Because rapid absorption may occur through lungs if aspirated and cause systematic effects, the decision of whether to induce vomiting or not should be made by an attending physician.
- If lavage is performed, suggest endotracheal and/or esophageal control.
- Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.
- Treatment based on judgment of the physician in response to reactions of the patient
- Polyethylene glycols are generally poorly absorbed orally and are mostly unchanged by the kidney.
- Dermal absorption can occur across damaged skin (e.g. through burns) leading to increased osmolality, anion gap metabolic acidosis, elevated calcium, low ionised calcium, CNS depression and renal failure.
- Treatment consists of supportive care.

[Ellenhorn and Barceloux: Medical Toxicology]

Treat symptomatically.

For sub-chronic and chronic exposures to isocvanates:

- This material may be a potent pulmonary sensitiser which causes bronchospasm even in patients without prior airway hyperreactivity.
- Clinical symptoms of exposure involve mucosal irritation of respiratory and gastrointestinal tracts.
- Conjunctival irritation, skin inflammation (erythema, pain vesiculation) and gastrointestinal disturbances occur soon after exposure.
- Pulmonary symptoms include cough, burning, substernal pain and dyspnoea.
- Some cross-sensitivity occurs between different isocyanates.
- Noncardiogenic pulmonary oedema and bronchospasm are the most serious consequences of exposure. Markedly symptomatic patients should receive oxygen, ventilatory support and an intravenous line.
- Treatment for asthma includes inhaled sympathomimetics (epinephrine [adrenalin], terbutaline) and steroids.
- Activated charcoal (1 g/kg) and a cathartic (sorbitol, magnesium citrate) may be useful for ingestion.
- Mydriatics, systemic analgesics and topical antibiotics (Sulamyd) may be used for corneal abrasions.
- There is no effective therapy for sensitised workers.

[Ellenhorn and Barceloux; Medical Toxicology]

NOTE: Isocyanates cause airway restriction in naive individuals with the degree of response dependant on the concentration and duration of exposure. They induce smooth muscle contraction which leads to bronchoconstrictive episodes. Acute changes in lung function, such as decreased FEV1, may not represent sensitivity.

[Karol & Jin, Frontiers in Molecular Toxicology, pp 56-61, 1992]

Personnel who work with isocyanates, isocyanate prepolymers or polyisocyanates should have a pre-placement medical examination and periodic examinations thereafter, including a pulmonary function test. Anyone with a medical history of chronic respiratory disease, asthmatic or bronchial attacks, indications of allergic responses, recurrent eczema or sensitisation conditions of the skin should not handle or work with isocyanates. Anyone who develops chronic respiratory distress when working with isocyanates should be removed from exposure and examined by a physician. Further exposure must be avoided if a sensitivity to isocyanates or polyisocyanates has developed.

#### **SECTION 5 Fire-fighting measures**

#### Extinguishing media

- F Small quantities of water in contact with hot liquid may react violently with generation of a large volume of rapidly expanding hot sticky semi-solid foam.
- Presents additional hazard when fire fighting in a confined space.
- Cooling with flooding quantities of water reduces this risk.
- Dry chemical powder
- BCF (where regulations permit).
- Carbon dioxide.

# SMALL FIRE:

Water spray, dry chemical or CO2

LARGE FIRE: Water spray or fog.

# Special hazards arising from the substrate or mixture

Fire Incompatibility

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

#### Special protective equipment and precautions for fire-fighters

# GENERAL

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.

Version No: 1.1.12.10 Page 4 of 14 Issue Date: 09/09/2021 Print Date: 09/09/2021

#### APOC RTA-1 24oz Strawfoam

Fight fire from a safe distance, with adequate cover. -Moderate fire hazard when exposed to heat or flame. -When heated to high temperatures decomposes rapidly generating vapour which pressures and may then rupture containers with release of flammable and highly toxic isocyanate vapour. ▶ Containers may explode when heated - Ruptured cylinders may rocket May burn but does not ignite easily. Fire exposed cylinders may vent contents through pressure relief devices thereby increasing vapour concentration.. ▶ Fire may produce irritating, poisonous or corrosive gases. Decomposition may produce toxic fumes of: Fire/Explosion Hazard carbon monoxide (CO) carbon dioxide (CO2) isocyanates hydrogen cyanide and minor amounts of nitrogen oxides (NOx) hydrogen fluoride other pyrolysis products typical of burning organic material. WARNING: Aerosol containers may present pressure related hazards.

# **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

Methods and material for containment and cleaning up	
Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Wear protective clothing, impervious gloves and safety glasses.</li> </ul>
Major Spills	For isocyanate spills of less than 40 litres (2 m2):  Evacuate area from everybody not dealing with the emergency, keep them upwind and prevent further access, remove ignition sources and, if inside building, ventilate area as well as possible.  Notify supervision and others as necessary.  Put on personal protective equipment (suitable respiratory protection, face and eye protection, protective suit, gloves and impermeable boots).  Avoid contamination with water, alkalies and detergent solutions.  Material reacts with water and generates gas, pressurises containers with even drum rupture resulting.  DO NOT reseal container if contamination is suspected.  Clear area of all unprotected personnel and move upwind.  Alert Emergency Authority and advise them of the location and nature of hazard.  Wear full body clothing with breathing apparatus.  Remove leaking cylinders to a safe place.  Fit vent pipes. Release pressure under safe, controlled conditions  Burn issuing gas at vent pipes.  DO NOT exert excessive pressure on valve; DO NOT attempt to operate damaged valve.  Clear area of personnel and move upwind.  Alert Fire Brigade and tell them location and nature of hazard.  May be violently or explosively reactive.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

Precautions for safe handling		
Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> </ul>	
Other information	Consider storage under inert gas.  Cylinders should be stored in a purpose-built compound with good ventilation, preferably in the open.  Such compounds should be sited and built in accordance with statutory requirements.  The storage compound should be kept clear and access restricted to authorised personnel only.	

### Conditions for safe storage, including any incompatibilities

Conditions for sale storage, including any incompatibilities				
Suitable container	Aerosol dispenser.     Check that containers are clearly labelled.			
Storage incompatibility	<ul> <li>Glycols and their ethers undergo violent decomposition in contact with 70% perchloric acid. This seems likely to involve formation of the glycol perchlorate esters (after scission of ethers) which are explosive, those of ethylene glycol and 3-chloro-1,2-propanediol being more powerful than glyceryl nitrate, and the former so sensitive that it explodes on addition of water.</li> <li>As a general rule, hydrofluorocarbons tend to be flammable unless they contain more fluorine atoms than hydrogen atoms.</li> <li>Avoid magnesium, aluminium and their alloys, brass and steel.</li> <li>Avoid reaction with water, alcohols and detergent solutions. Isocyanates are electrophiles, and as such they are reactive toward a variety of nucleophiles including alcohols, amines, and even water. Upon treatment with an alcohol, an isocyanate forms a urethane linkage.</li> </ul>			

Version No: **1.1.12.10** Page **5** of **14** Issue Date: **09/09/2021** 

#### APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

- A range of exothermic decomposition energies for isocyanates is given as 20-30 kJ/mol.
- The relationship between energy of decomposition and processing hazards has been the subject of discussion; it is suggested that values of energy released per unit of mass, rather than on a molar basis (J/g) be used in the assessment.
- For example, in 'open vessel processes' (with man-hole size openings, in an industrial setting), substances with exothermic decomposition energies below 500 J/g are unlikely to present a danger, whilst those in 'closed vessel processes' (opening is a safety valve or bursting disk) present some danger where the decomposition energy exceeds 150 J/g.
- Compressed gases may contain a large amount of kinetic energy over and above that potentially available from the energy of reaction produced by the gas in chemical reaction with other substances

#### SECTION 8 Exposure controls / personal protection

#### **Control parameters**

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-1	4,4'-diphenylmethane diisocyanate (MDI)	Methylene bisphenyl isocyanate (MDI)	Not Available	Not Available	0.02 ppm / 0.2 mg/m3	Not Available
US NIOSH Recommended Exposure Limits (RELs)	4,4'-diphenylmethane diisocyanate (MDI)	Methylene bisphenyl isocyanate	0.005 ppm / 0.05 mg/m3	Not Available	0.020 (10-minute) ppm / 0.2 (10-minute) mg/m3	Not Available
US ACGIH Threshold Limit Values (TLV)	4,4'-diphenylmethane diisocyanate (MDI)	Methylene bisphenyl isocyanate	0.005 ppm	Not Available	Not Available	Not Available

# **Emergency Limits**

Ingredient	TEEL-1	TEEL-2	TEEL-3
polypropylene glycol	30 mg/m3	330 mg/m3	2,000 mg/m3
1,3,3,3-tetrafluoropropene	1,400 ppm	Not Available	Not Available
4,4'-diphenylmethane diisocyanate (MDI)	0.45 mg/m3	Not Available	Not Available
4,4'-diphenylmethane diisocyanate (MDI)	29 mg/m3	40 mg/m3	240 mg/m3
MDI oligomer	0.15 mg/m3	3.6 mg/m3	22 mg/m3

Ingredient	Original IDLH	Revised IDLH
polypropylene glycol	Not Available	Not Available
tris(2-chloroisopropyl)phosphate	Not Available	Not Available
2,2'-dimorpholinodiethyl ether	Not Available	Not Available
1,3,3,3-tetrafluoropropene	Not Available	Not Available
4,4'-diphenylmethane diisocyanate (MDI)	75 mg/m3	Not Available
MDI oligomer	Not Available	Not Available

# Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
tris(2-chloroisopropyl)phosphate	Е	≤ 0.1 ppm	
2,2'-dimorpholinodiethyl ether	E	≤ 0.1 ppm	
MDI oligomer	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

# **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

# Personal protection









# Eye and face protection

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

#### Skin protection

# See Hand protection below

# Hands/feet protection


- NOTE:

  The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
  - Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

Version No: **1.1.12.10** Page **6** of **14** Issue Date: **09/09/2021** 

#### APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021



# **SECTION 9 Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance	Moisture sensitive. Viscous liquid which forms off-white to yellowish foam upon release.				
Physical state	Compressed Gas Relative density (Water = 1) 1.1				
Odour	Not Available	Partition coefficient n-octanol / water	Not Available		
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available		
pH (as supplied)	Not Available	Decomposition temperature	Not Available		
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available		
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available		
Flash point (°C)	Not Available	Taste	Not Available		
Evaporation rate	Not Available	Explosive properties	Not Available		
Flammability	Not Available	Oxidising properties	Not Available		
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available		
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available		
Vapour pressure (kPa)	345	Gas group	Not Available		
Solubility in water	Not Applicable	pH as a solution (%)	Not Available		
Vapour density (Air = 1)	Not Available	VOC g/L	0		

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	Elevated temperatures.     Presence of open flame.     Product is considered stable.     Presence of elevated temperatures.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

# Information on toxicological effects

Inhaled

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Exposure to fluorocarbons can produce non-specific flu-like symptoms such as chills, fever, weakness, muscle pain, headache, chest discomfort, sore throat and dry cough with rapid recovery. High concentrations can cause irregular heartbeats and a stepwise reduction in lung capacity. Inhalation of the vapour is hazardous and may even be fatal

Version No: 1.1.12.10 Page 7 of 14 Issue Date: 09/09/2021

#### APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

The use of a quantity of material in an unventilated or confined space may result in increased exposure and an irritating atmosphere developing. Before starting consider control of exposure by mechanical ventilation.

Inhalation of toxic gases may cause:

- ▶ Central Nervous System effects including depression, headache, confusion, dizziness, stupor, coma and seizures;
- respiratory: acute lung swellings, shortness of breath, wheezing, rapid breathing, other symptoms and respiratory arrest;
- heart: collapse, irregular heartbeats and cardiac arrest:
- gastrointestinal: irritation, ulcers, nausea and vomiting (may be bloody), and abdominal pain.

The vapour/mist may be highly irritating to the upper respiratory tract and lungs; the response may be severe enough to produce bronchitis and pulmonary oedema. Possible neurological symptoms arising from isocyanate exposure include headache, insomnia, euphoria, ataxia, anxiety neurosis. depression and paranoia. Gastrointestinal disturbances are characterised by nausea and vomiting.

#### WARNING: Intentional misuse by concentrating/inhaling contents may be lethal.

There is strong evidence to suggest that this material can cause, if inhaled once, very serious, irreversible damage of organs. Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may produce severely toxic effects. Relatively small amounts absorbed from the lungs may prove fatal.

# Ingestion

Adverse effects associated with the administration of central nervous system stimulants include shortness of breath, coughing, spasm of the bronchi and spasm of the throat (larynx). Muscular involvement may produce symptoms ranging from twitching to spasticity or seizures. Headache, dizziness and confusion may also result, as can a very high fever or a sensation of warmth.

If swallowed, the toxic effects of glycols (dihydric alcohols) are similar to those of alcohol, with depression of the central nervous system, nausea, vomiting, and degenerative changes in the liver and kidney.

Overexposure to non-ring alcohols causes nervous system symptoms. These include headache, muscle weakness and inco-ordination, giddiness, confusion, delirium and coma.

Not normally a hazard due to physical form of product.

Considered an unlikely route of entry in commercial/industrial environments

# Skin Contact

The material may accentuate any pre-existing dermatitis condition

Skin contact with the material may damage the health of the individual; systemic effects may result following absorption.

Spray mist may produce discomfort

Fluorocarbons remove natural oils from the skin, causing irritation, dryness and sensitivity.

Open cuts, abraded or irritated skin should not be exposed to this material

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

There is some evidence to suggest that the material may cause moderate inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.

#### Eye

Not considered to be a risk because of the extreme volatility of the gas.

This material may produce eye irritation in some persons and produce eye damage 24 hours or more after instillation. Moderate inflammation may be expected with redness; conjunctivitis may occur with prolonged exposure.

Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population.

Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

This material can cause serious damage if one is exposed to it for long periods. It can be assumed that it contains a substance which can produce severe defects.

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. This product contains a polymer with a functional group considered to be of high concern. Isothiocyanates may cause hypersensitivity of the skin and airways.

### Chronic

The reactivity of an epoxide intermediate may be the reason for the cancer-causing properties of halogenated oxiranes. It is reported that 1,1-dichloroethyne, vinyl chloride, trichloroethylene, tetrachloroethylene and chloroprene all cause cancer.

Generally speaking, substances with one halogen substitution show higher potential to cause cancer compared to substances with two. Main route of exposure to the gas in the workplace is by inhalation.

Persons with a history of asthma or other respiratory problems or are known to be sensitised, should not be engaged in any work involving the handling of isocyanates

The chemistry of reaction of isocyanates, as evidenced by MDI, in biological milieu is such that in the event of a true exposure of small MDI doses to the mouth, reactions will commence at once with biological macromolecules in the buccal region and will continue along the digestive tract prior to reaching the stomach. Reaction products will be a variety of polyureas and macromolecular conjugates with for example mucus, proteins and cell components.

Animal testing shows that polymeric MDI can damage the nasal cavities and lungs, causing inflammation.and increased cell growth. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Fluorocarbons can cause an increased risk of cancer, spontaneous abortion and birth defects.

# APOC RTA-1 24oz Strawfoam

TOXICITY	IRRITATION
Not Available	Not Available

# polypropylene glycol

TOXICITY	IRRITATION
Dermal (rabbit) LD50: >3000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
Inhalation(Rat) LC50; >2.34 mg/l4h <sup>[1]</sup>	Skin (rabbit): 500 mg mild
Oral(Rat) LD50; >2000 mg/kg <sup>[1]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>

# tris(2chloroisopropyl)phosphate

TOXICITY	IRRITATION
Dermal (rabbit) LD50: >5000 mg/kg*[2]	Eye (rabbit): non-irritating*
Inhalation(Rat) LC50; >4.6 mg/kl/4H*[2]	Skin (rabbit): mild (24 h):
Intravenous (Mouse) LD50: 56 mg/kg <sup>[2]</sup>	
Oral(Rat) LD50; 1500 mg/kg <sup>[2]</sup>	

Version No: 1.1.12.10 Page 8 of 14 Issue Date: 09/09/2021 Print Date: 09/09/2021

# APOC RTA-1 24oz Strawfoam

	TOXICITY	IRRITATION			
	Dermal (rabbit) LD50: 746.24 mg/kg <sup>[1]</sup> Eye (rabbit): irritant OECD 405		ant OECD 405		
2,2'-dimorpholinodiethyl ether	Oral(Rat) LD50; >2000 mg/kg <sup>[1]</sup>		Eye: adverse effect observed (irritating) <sup>[1]</sup>		
		Skin (rabbit): irrita	ant OECD 404		
		Skin: no adverse	effect observed (not irrit	ating) <sup>[1]</sup>	
1,3,3,3-tetrafluoropropene	TOXICITY			IRRITATION	
	Inhalation(Rat) LC50; >1157.752 ppm4h <sup>[2]</sup>			Not Available	
	TOXICITY	IRRITATION			
	Dermal (rabbit) LD50: >6200 mg/kg <sup>[2]</sup>	Dermal Sensitise	Dermal Sensitiser *		
4,4'-diphenylmethane diisocyanate (MDI)	Inhalation(Rat) LC50; 0.368 mg/L4h <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>		ating) <sup>[1]</sup>	
unsocyanate (mbi)	Oral(Rat) LD50; >2000 mg/kg <sup>[1]</sup>	Skin (rabbit): 500	mg /24 hours		
		Skin: adverse eff	ect observed (irritating)[	1]	
	TOXICITY		IRRITATION		
MDI oligomer	Dermal (rabbit) LD50: >9400 mg/kg <sup>[2]</sup>		Eye (rabbit): 100 mg	- mild	
	Inhalation(Rat) LC50; 0.49 mg/L4h <sup>[2]</sup>				
	Oral(Rat) LD50; 43000 mg/kg <sup>[2]</sup>				
Legend:	Value obtained from Europe ECHA Registered Su.			ufacturer's SDS. Unless otherwise	
	specified data extracted from RTECS - Register of To	oxic effect of chemical Substa	nces		
POLYPROPYLENE GLYCOL	mixtures of oxidation products.  Animal testing reveals that whole the pure, non-oxidis oxidization products also cause irritation.  The material may be irritating to the eye, with prolong conjunctivitis.  The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin.	ged contact causing inflammat	tion. Repeated or prolon	ged exposure to irritants may produce	
tris(2- chloroisopropyl)phosphate	Non-chlorinated triphosphates have varying chemical, physical, toxicological and environmental properties. Blooming has been identified as a source of potential exposure (human and environmental) to triphosphate plasticisers / flame retardants. Blooming is the movement of an ingredient in rubber or plastic to the outer surface after curing.  For tris(2-chloro-1-methylethyl)phosphate (TCPP)  The flame retardant product supplied in the EU, marketed as TCPP, is actually a reaction mixture containing four isomers. The individual isomers in this reaction mixture are not separated or marketed. The individual components are never produced as such.  Alkyl esters of phosphoric acid exhibit a low to moderate acute toxicity and metabolised. From studies done on mice, they are not likely to cause gene damage or affect reproduction. However, 2-ethylhexanoic acid produced an effect on newborn rats at high doses to the pregnant female.				
2,2'-DIMORPHOLINODIETHYL ETHER	Overexposure to most of these materials may cause adverse health effects.  Many amine-based compounds can cause release of histamines, which, in turn, can trigger allergic and other physiological effects, including constriction of the bronchi or asthma and inflammation of the cavity of the nose. Whole-body symptoms include headache, nausea, faintness, anxiety, a decrease in blood pressure, rapid heartbeat, itching, reddening of the skin, urticaria (hives) and swelling of the face, which are usually transient.  There are generally four routes of possible or potential exposure: inhalation, skin contact, eye contact, and swallowing.  Inhalation: Inhaling vapours may result in moderate to severe irritation of the tissues of the nose and throat and can irritate the lungs. Higher concentrations of certain amines can produce severe respiratory irritation, characterized by discharge from the nose, coughing, difficulty in breathing and chest pain. No experimental evidence available for genotoxicity in vitro (Ames test negative). "BASF				
1,3,3,3- TETRAFLUOROPROPENE	Inhalation (rat) NOEL (28 days): >1.5 mg/l * * Vendor HFO-1234ze is not likely to accumulate in the bodies of humans or animals HFO-1234ze is practically non-toxic. Short-term exposures at levels higher than 10% have not induced cardiac sensitization to adrenalin nor induced serious toxic effects. Rats and rabbits did not exhibit any serious toxic, developmental or reproductive effects even with exposures to high levels of HFO-1234ze. Based on a series of mutagenicity and genomics studies, the cancer risk for HFO-1234ze is low, no cardiac sensitisation was observed in dogs with exposures up to 120,000 ppm; repeated dose toxicity in rats (13-wk) found mild effects on the heart (NOEL 5,000ppm); in vitro genotoxicity findings include negative Ames Test and negative human lymphocyte chromosome aberration test; in vivo genotoxicity findings in the mouse micronucleus test were negative (inhalation, mammalian bone-marrow cytogenic test with chromosomal analysis).				
4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI)	Inhalation (human) TCLo: 0.13 ppm/30 mins Eye (rat	obit): 0.10 mg moderate			
MDI OLIGOMER	product				
APOC RTA-1 24oz Strawfoam & 4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) & MDI OLIGOMER	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant.  Allergic reactions involving the respiratory tract are usually due to interactions between IgE antibodies and allergens and occur rapidly. Allergic potential of the allergen and period of exposure often determine the severity of symptoms. Some people may be genetically more prone than others, and exposure to other irritants may aggravate symptoms.  Attention should be paid to atopic diathesis, characterised by increased susceptibility to nasal inflammation, asthma and eczema.  Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. Such allergy is of the delayed type with onset up to four hours following exposure.				

Version No: 1.1.12.10 Page 9 of 14 Issue Date: 09/09/2021

#### APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

APOC RTA-1 24oz Strawfoam 2,2'-DIMORPHOLINODIETHYL ETHER & 4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) & MDI OLIGOMER

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

APOC RTA-1 24oz Strawfoam & 1,3,3,3-**TETRAFLUOROPROPENE**  Inhalation of perfluoroalkenes can cause lung injury, kidney damage, brain changes and death. Repeated exposures may alter blood pressure and the production of blood cells. The potential for causing cancer is the subject of speculation. Fluoroalkanes, in contrast, are less toxic. Disinfection byproducts (DBPs) are formed when disinfectants such as chlorine, chloramines and ozone react with organic and inorganic matter in water. Animal studies have shown that some DBPs cause cancer. To date, several hundred DBPs have been identified. Numerous haloalkanes and haloalkenes have been tested for cancer-causing and mutation-causing activities.

4,4'-DIPHENYLMETHANE **DIISOCYANATE (MDI) & MDI** OLIGOMER Isocyanate vapours are irritating to the airways and can cause their inflammation, with wheezing, gasping, severe distress, even loss of consciousness and fluid in the lungs. Nervous system symptoms that may occur include headache, sleep disturbance, euphoria, inco-ordination, anxiety, depression and paranoia.

The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

Aromatic and aliphatic diisocyanates may cause airway toxicity and skin sensitization. Monomers and prepolymers exhibit similar respiratory effect. Of the several members of diisocyanates tested on experimental animals by inhalation and oral exposure, some caused cancer while others produced a harmless outcome.

The substance is classified by IARC as Group 3:

NOT classifiable as to its carcinogenicity to humans.

Evidence of carcinogenicity may be inadequate or limited in animal testing.

Acute Toxicity	✓	Carcinogenicity	×
Skin Irritation/Corrosion	✓	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	✓
Respiratory or Skin sensitisation	<b>✓</b>	STOT - Repeated Exposure	<b>✓</b>
Mutagenicity	×	Aspiration Hazard	×

Legend:

💢 – Data either not available or does not fill the criteria for classification Data available to make classification

#### **SECTION 12 Ecological information**

city								
	Endpoint	Test Duration (hr)		Species	Value		Source	
APOC RTA-1 24oz Strawfoam	Not Available	Not Available		Not Available	Not Availa	ble	Not Availab	ole
	Endpoint	Test Duration (hr)	Specie	9S		Value		Source
	EC50	72h	Algae	or other aquatic plants		>100mg/l		2
	EC50	48h	Crusta	cea		>100mg/l		2
polypropylene glycol	LC50	96h	Fish			>100mg/l		2
	NOEC(ECx)	504h	Crusta	cea		>=10mg/l		2
	EC50	96h	Algae	or other aquatic plants		3000-4000mg	j/l	2
	Endpoint	Test Duration (hr)	Spe	cies		Value		Source
	EC50	96h	Alga	Algae or other aquatic plants		4mg/l		1
	ErC50	72h	Alga	Algae or other aquatic plants		4mg/l		1
tris(2- chloroisopropyl)phosphate	EC50	72h	Alga	e or other aquatic plants		33mg/l		2
	BCF	1008h	Fish			0.8-2.8		7
	EC50	48h	Crus	tacea		65335mg	g/l	1
	LC50	96h	Fish			11mg/l	:	2
	EC50(ECx)	96h	Alga	e or other aquatic plants		4mg/l		1
	Endpoint	Test Duration (hr)	Spec	cies		Value	:	Source
	EC50(ECx)	72h	Alga	e or other aquatic plants		>100mg/	1 :	2
,2'-dimorpholinodiethyl ether	EC50	72h	Alga	e or other aquatic plants		>100mg/	1 :	2
	LC50	96h	Fish			>2150mg	g/l :	2
	EC50	48h	Crus	Crustacea >		>100mg/	1 :	2
	Endpoint	Test Duration (hr)	Spe	cies		Value	;	Source
4 2 2 2 totrofluoromes	EC50	72h	Alga	ae or other aquatic plants	3	>170mg	g/I 2	2
1,3,3,3-tetrafluoropropene	EC50	48h	Cru	stacea		>160mg	g/l 2	2
	EC50(ECx)	48h	Cru	stacea		>160mg	g/l 2	2

Version No: **1.1.12.10** Page **10** of **14** 

#### APOC RTA-1 24oz Strawfoam

Issue Date: 09/09/2021 Print Date: 09/09/2021

4,4'-diphenylmethane diisocyanate (MDI)

Endpoint	Test Duration (hr)	Species	Value	Source
EC50	72h	Algae or other aquatic plants	>1640mg/l	2
LC50	96h	Fish	>1000mg/l	2
NOEC(ECx)	504h	Crustacea	>=10mg/l	2
BCF	672h	Fish	61-150	7

MDI oligomer

Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

# for polyisocyanates:

Polyisocyanates are not readily biodegradable. However, due to other elimination mechanisms (hydrolysis, adsorption), long retention times in water are not to be expected. The resulting polyurea is more or less inert and, due to its molecular size, not bioavailable.

In addition to carbon dioxide (CO2), methane (CH4) and nitrous oxide (N2O), the greenhouse gases mentioned in the Kyoto Protocol include synthetic substances that share the common feature of being highly persistent in the atmosphere and inhibit radiation from escaping out of the atmosphere. These synthetic substances include hydrocarbons that are partially fluorinated (HCFs) or totally fluorinated (PFCs) as well as sulfur hexafluoride (SF6). The greenhouse potential of these substances, expressed as multiples of that of CO2, are within the range of 140 to 11,700 for HFCs, from 6500 to 9,200 for PFCs and 23,900 for SF6. For Isocyanate Monomers:

Environmental Fate: Isocyanates, (di- and polyfunctional isocyanates), are commonly used to make various polymers, such as polyurethanes. Polyurethanes find significant application in the manufacture of rigid and flexible foams. They are also used in the production of adhesives, elastomers, and coatings.

DO NOT discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
tris(2-chloroisopropyl)phosphate	HIGH	HIGH
2,2'-dimorpholinodiethyl ether	HIGH	HIGH
4,4'-diphenylmethane diisocyanate (MDI)	LOW (Half-life = 1 days)	LOW (Half-life = 0.24 days)

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
tris(2-chloroisopropyl)phosphate	LOW (BCF = 4.6)
2,2'-dimorpholinodiethyl ether	LOW (LogKOW = -1.3122)
4,4'-diphenylmethane diisocyanate (MDI)	LOW (BCF = 15)

# Mobility in soil

Ingredient	Mobility
tris(2-chloroisopropyl)phosphate	LOW (KOC = 1278)
2,2'-dimorpholinodiethyl ether	LOW (KOC = 10)
4,4'-diphenylmethane diisocyanate (MDI)	LOW (KOC = 376200)

# **SECTION 13 Disposal considerations**

# Waste treatment methods

Product / Packaging disposal

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Consult State Land Waste Management Authority for disposal.
- Discharge contents of damaged aerosol cans at an approved site.
- Allow small quantities to evaporate.

# **SECTION 14 Transport information**

# Labels Required



Marine Pollutant

NO

Page 11 of 14 Version No: 1.1.12.10 Issue Date: 09/09/2021 Print Date: 09/09/2021

# APOC RTA-1 24oz Strawfoam

UN number	1950		
UN proper shipping name	Aerosols, non-flammable, (each not exceeding 1 L capacity)		
Transport hazard class(es)	Class 2.2 Subrisk Not Applicable		
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
Special precautions for user	Hazard Label 2.2 Special provisions Not Applicable		

# Air transport (ICAO-IATA / DGR)

UN number	1950			
UN proper shipping name	Aerosols, non-flammable test)	e; Aerosols, non-flammable (containing	oiological products or a medicinal	preparation which will be deteriorated by a heat
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	2.2  Not Applicable  2L		
Packing group	Not Applicable			
Environmental hazard	Not Applicable			
	Special provisions		A98 A145 A167 A802	
	Cargo Only Packing Instructions		203	
	Cargo Only Maximum Qty / Pack		150 kg	
Special precautions for user	Passenger and Cargo Packing Instructions		203	
	Passenger and Cargo Maximum Qty / Pack		75 kg	
	Passenger and Cargo Limited Quantity Packing Instructions		Y203	
	Passenger and Cargo Limited Maximum Qty / Pack		30 kg G	

# Sea transport (IMDG-Code / GGVSee)

UN number	1950		
UN proper shipping name	AEROSOLS		
Transport hazard class(es)		2.2 Not Applicable	
Packing group	Not Applicable		
Environmental hazard	Not Applicable		
Special precautions for user	EMS Number Special provisions Limited Quantities		

# Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Transport in bulk in accordance with mark of Annex v and the miobo code			
Product name	Group		
polypropylene glycol	Not Available		
tris(2-chloroisopropyl)phosphate	Not Available		
2,2'-dimorpholinodiethyl ether	Not Available		
1,3,3,3-tetrafluoropropene	Not Available		
4,4'-diphenylmethane diisocyanate (MDI)	Not Available		
MDI oligomer	Not Available		

# Transport in bulk in accordance with the ICG Code

Product name	Ship Type
polypropylene glycol	Not Available
tris(2-chloroisopropyl)phosphate	Not Available
2,2'-dimorpholinodiethyl ether	Not Available
1,3,3,3-tetrafluoropropene	Not Available

Version No: 1.1.12.10 Page 12 of 14 Issue Date: 09/09/2021 Print Date: 09/09/2021

#### APOC RTA-1 24oz Strawfoam

**Product name** Ship Type 4.4'-diphenvlmethane Not Available diisocyanate (MDI) MDI oligomer Not Available

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### polypropylene glycol is found on the following regulatory lists

US AIHA Workplace Environmental Exposure Levels (WEELs)

US DOE Temporary Emergency Exposure Limits (TEELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### tris(2-chloroisopropyl)phosphate is found on the following regulatory lists

US - California - Biomonitoring - Priority Chemicals

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### 2,2'-dimorpholinodiethyl ether is found on the following regulatory lists

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### 1,3,3,3-tetrafluoropropene is found on the following regulatory lists

US AIHA Workplace Environmental Exposure Levels (WEELs)

US DOE Temporary Emergency Exposure Limits (TEELs) US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### 4,4'-diphenylmethane diisocyanate (MDI) is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US ACGIH Threshold Limit Values (TLV)

US Clean Air Act - Hazardous Air Pollutants

US DOE Temporary Emergency Exposure Limits (TEELs)

US EPA Integrated Risk Information System (IRIS)

#### MDI oligomer is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US DOE Temporary Emergency Exposure Limits (TEELs)

US Toxicology Excellence for Risk Assessment (TERA) Workplace Environmental Exposure Levels (WEEL)

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US Toxicology Excellence for Risk Assessment (TERA) Workplace Environmental Exposure Levels (WEEL)

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Limits (PELs) Table Z-1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

US TSCA New Chemical Exposure Limits (NCEL)

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Section 311/312 hazard categories

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	Yes
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	Yes
Reproductive toxicity	No
Skin Corrosion or Irritation	Yes
Respiratory or Skin Sensitization	Yes
Serious eye damage or eye irritation	Yes
Specific target organ toxicity (single or repeated exposure)	Yes
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No

Version No: **1.1.12.10** Page **13** of **14** 

#### APOC RTA-1 24oz Strawfoam

Issue Date: **09/09/2021**Print Date: **09/09/2021** 

#### US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
4,4'-diphenylmethane diisocyanate (MDI)	5000	2270

#### **State Regulations**

# US. California Proposition 65

None Reported

#### **National Inventory Status**

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	Yes	
Canada - NDSL	No (polypropylene glycol; tris(2-chloroisopropyl)phosphate; 2,2'-dimorpholinodiethyl ether; 4,4'-diphenylmethane diisocyanate (MDI); MDI oligomer)	
China - IECSC	No (1,3,3,3-tetrafluoropropene)	
Europe - EINEC / ELINCS / NLP	No (1,3,3,3-tetrafluoropropene; MDI oligomer)	
Japan - ENCS	Yes	
Korea - KECI	Yes	
New Zealand - NZIoC	No (1,3,3,3-tetrafluoropropene)	
Philippines - PICCS	No (1,3,3,3-tetrafluoropropene)	
USA - TSCA	Yes	
Taiwan - TCSI	Yes	
Mexico - INSQ	No (2,2'-dimorpholinodiethyl ether; 1,3,3,3-tetrafluoropropene)	
Vietnam - NCI	Yes	
Russia - FBEPH	No (1,3,3,3-tetrafluoropropene)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	

#### **SECTION 16 Other information**

Revision Date	09/09/2021
Initial Date	04/19/2021

#### CONTACT POINT

# Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.

# **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard
OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection
OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

<sup>\*\*</sup>PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

Version No: 1.1.12.10 Page **14** of **14** Issue Date: 09/09/2021

# APOC RTA-1 24oz Strawfoam

Print Date: 09/09/2021

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory
FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.